MDS in Adult Family Care Homes: MDS-ALS

CASE MIX TEAM Revised August 2015



MDS-ALS Training: Agenda

- ➤ History of MDS-ALS
- >Purpose
- **▶** Definitions
- ➤ Schedule of Assessments
- Case Mix Index, RUG groups
- > MDS-ALS Assessment Tool
- **≻**Corrections
- ➤ Quality Indicators


8/20/15

Training Requirement


MaineCare Benefits Manual, Chapter II, Section 2.07-1.A.4.a:

Only staff trained in completion of the MDS-ALS by the Department may conduct or coordinate assessments.


8/20/15









Assessors Responsibilities Conduct interviews Read the manual Attend training Accuracy and timeliness Maintain confidentiality Edit and submit all MDS/ALS Review submission reports









And \	When are assessr	ments done?
Type of Assessment	When Completed	Schedule
Admission Assessment	Initial Admission	By the end of the 30 th day after admission, as represented by the S2b date. Admission is day #1.
Semi Annual Assessment	Within 180 days of last comprehensive MDS-RCA	Within 7 days of assessment date entered in (A5), as represented by the S2b date.
Annual Assessment	Within 180 days of last MDS-RCA assessment	Within 7 days of assessment date entered in (A5), as represented by the S2b date.
Significant Change Assessment	Only if significant change has occurred	Assessment must be completed by the end of the 14th calendar day following the determination that a significant change has occurred.
Other	When required by Case Mix Nurse	Within 7 calendar days of Case Mix Nurse visit as represented by S2b date
Discharge Tracking Form	When a resident is discharged, transferred or deceased	Completed within 7 days of the event
MDS-ALS Face Sheet (Section AA through AD of the MDS-ALS form)	Provides key information to uniquely identify each resident and to track the resident in the automated system	Completed only once, at the time of admission to a facility.


Timeliness


MaineCare Benefits Manual,
Chapter II, Section 2.07-1.A.8:

"The Department will sanction providers who fail to accurately complete assessments in a timely manner."










Never do an inaccurate assessment to match inaccurate documentation If, after interviewing staff and interviewing/observing the resident, you feel that the documentation is inaccurate, write a note in the record to explain and code the MDS/ALS accurately


MDS-A	LS Training: Sanctions
	Sanctions:
2%	Error rate 34% or greater and less than 37%
5%	Error rate 37% or greater and less than 41%
7%	Error rate 41% or greater and less than 45%
109	Error rate 45% or greater
109	If requested reassessments not completed within 7 days
8/20/15	





DUI O O I	1100	101.0	LABLO	1 100 1 11	1
RUG Code	ALS Score	ADL Score	IADL Score	Weight	Rate
AV2	ALS 7-9	ADL 7-28		1.657	\$74.55
AV1	ALS 7-9	ADL 0-6		1.210	\$54.44
AH2	ALS 5-6	ADL 7-28		1.360	\$61.19
AH1	ALS 5-6	ADL 0-6		1.027	\$46.20
AM2	ALS 2-4		IADL 12-18	0.924	\$41.57
AM1	ALS 2-4		IADL 10-11	0.804	\$36.17
AL1	ALS 2-4		IADL 0-9	0.551	\$24.79
BC1	Unclassified			0.551	\$24.79

ALS	FIELD	COMMENTARY
В3	Cognitive Skills for Daily Decision Making	Documentation must be found in the record of the resident's ability to actively make decisions regarding tasks of daily living in the last 7 days.
E1a-r	Indicators of Depression	Evidence & observations of these indicators must b present in the resident's record within the last 3 days
G5ac G5ag	Assist. with phoning Assist. with arranging transport.	Evidence within the record of the resident involvement in the activity. Document the level of independence that best represents the client's functioning & the type of assistance provided over 30 days.
H4	Use of incontinent supplies	Evidence within the record of resident's managemen of incontinence supplies within the last 14 days. (pads, briefs, ostomy, catheter)
O5f	Administration of OTC medications	Evidence within the record that the resident <u>DID NO</u> administer OTC meds within the last 7 days.
O6	Medication Preparation & Administration	Evidence in the record that the residen prepared/administered NONE. SOME or ALL of their medications within the last days.
P10	Physicians Order Changes	Include the number of DAYS that the Physician o authorized assistant changed the residents written telephoned, or faxed orders within the last 14 days. DOES NOT INCLUDE; admission orders, return admission orders or orders without chance.

ALS	FIELD	COMMENTARY
Glaa Glba Glca	Bed mobility Transfer Locomotion	All areas must be documented for all shifts within the last 7 days. Self Performance score only.
G1da G1ea G1fa	Dressing Eating Toilet use	
DOCUMEN	TATION for IADL	& Bathing Scores
DOCUMEN	TATION for IADL	& Bathing Scores
ALS	FIELD	COMMENTARY
ALS G2 G5aa	FIELD Bathing(SP) Arrange Shopping	COMMENTARY Evidence about how the resident takes a full body bath. Code for most dependent within the last 7 days. IADIs a done with help or done by others.
ALS G2 G5aa G5ab	FIELD Bathing(SP) Arrange Shopping Shopping	COMMENTARY Evidence about how the resident takes a full body bath. Code for most dependent within the last 7 days. IADIa done with help or done by others. Evidence within the record of the level of independence that
ALS G2 G5aa G5ab G5ad	FIELD Bathing(SP) Arrange Shopping Shopping Manage Finances	COMMENTARY Evidence about how the resident takes a full body bath. Code for most dependent within the last 7 days. IADIs 4 done with help or done by others. Evidence within the record of the level of independence that best represents the clients functioning and the type of assistant
ALS G2 G5aa	FIELD Bathing(SP) Arrange Shopping Shopping	COMMENTARY Evidence about how the resident takes a full body bath. Code for most dependent within the last 7 days. IADIs a done with help or done by others.











Face Sheet: Background Information
Completed at the time of the resident's initial admission to the facility.


Section AB: Demographic Information
Section AC: Customary Routine
Section AD: Face Sheet Signatures and dates


































H4. Use of Incontinence Supplies



0. Always Continent

- 1. Resident incontinent and able to manage supplies independently.
- 2. Resident incontinent and receives assistance with managing supplies.
- 3. Resident incontinent and does not use incontinence supplies. For example, resident refuses to use the supplies or hides their soiled garments.

8/20/15

POP QUIZ!

- 0 Continent Complete control
- Usually Continent Bladder incontinent episodes occur once a week or less. Bowel incontinent episodes occur less than once a week.
- 2 Occasionally Incontinent Bladder incontinent episode occur two or more times a week but not daily. Bowel incontinent episodes occur once a week.
- 3 Frequently Incontinent Bladder, tended to be incontinent daily, but some control present (e.g., on day shift) Bowel, 2-3 times a week
- 4 Incontinent Bladder incontinent episodes occur multiple times daily. Bowel incontinence is all (or almost all) of the time.


A. Mr. Q was taken to the toilet after every meal, before bed, and once during the night. He was never found


- B. Mr. R had an indwelling catheter in place during the entire 14-day assessment period. He was never found wet.
- C. Although she is generally continent of urine, every once in a while (about once in two weeks) Mrs. T doesn't make it to the bathroom in time after receiving her daily diuretic pill
- D. Late in the day when she is tired, Mrs. A sometimes (but not all days) has more episodes of urinary inconfinence.


Section I: Diagnosis


All diseases and conditions must have physician documented diagnosis in the clinical record.


Do not include conditions that have been resolved or no longer affect the resident's functioning or service plan.













































Section T: Preventive Health
PREVENTIVE (Check at the procedure the resident received during the past 12 months) Board pressure monitoring
Note: 12 month look back period for prevention health measures.

	SECTIO	N U. MEDICA	TIONS LIST	001 100 1001 101 101 101 101	COOK AND DON'T LEAD THAT THE TOTAL THAT	
List all medications given during the last 7 days. 1. List the medication name and the dosage 2. RA (Route of Administration). Lise the appropri			nan weekly as part of th	ne resident's treatment reg	imen.	
	acular (IM)	5 = subcutane 6 = rectally	(DduB) suc	7 = topical 8 = inhelation	9 = enteral tube 10 = other	
3. FREQ (Frequency): Use the appropriate frequ	ency code to show the r	umber of times	er day that the medica	for was given.		
Do not use this column for scheduled medications. 5. DRUG CODE: Enter the National Drug Code (NDC). The last two digit		ON = yeary other day C = x = x = x = x = x = x = x = x = x =		forth) once every month e every month usous ation was given. from the codes listed in the	the	
1. Medication Name and Dosage	2. RA	3. Freq	4. PRN-n	5. ND	C Codes	
EXAMPLE: Cournadin 2.5 mg Digoxin 0.125 mg Humulin R 25 Units Robitussin 15cc	1 1 5 1	1W 1D 1D PR	2			



Scoring of the MDS-ALS
3 step process:
 Calculate ALS (Assisted Living Score) Calculate ADL score Calculate IADL / Bathing (IADL/B) score
8/20/15

Step 1:	Calculate Daily Living Skills Score		Living
	d Cognitive Skills	If value 83>0 then Score=1, otherwise score =0	Living
83	Cognitive skills for daily decision-making		
Indicato	ors of Depression, Anxiety, and/or Sad Mood	Count number of terms in Section E1 that are >0. If total count is 0, 1 or 2 then Score = 0; if total count is 3 or more, then score =1 in the shaded score area.	Assistance
Eta	Negative statements	-	
E1b	Repetitive questions		
	Repetitive verbalizations		Score
	Persistent anger with self or others		Score
	Self deprecation		DCOIC
	Expressions of what appear to be unrealistic fears		
-	Recurrent statements that something temble is about to happen		
	Repetitive health complaints		
	Repetitive anxious complaints/concerns		
	mood in morning Unpleasant		
E1k	Insomnia/change in usual sleep pattern	/A	
	Sed, pained, womed facial expressions		
	Crying, tearfulness Repetitive physical movements		
	Withdrawal from activities of interest		
	Reduced social interaction		
	Inflated salf-worth	- 1	
	Excited behavior, motor excitation		
	Total		
Assista	ince with use of the telephone or arranging	If value of G5ac or G5ag=1 or 2, Score =1 in the shaded score area, otherwise enter 0 in the shaded area	
cer. I	Transportation	in the snaded area	
	Assistance to use telephone		
GONG	Assistance to use relephone		
	Total		
Manage	ament of Incontinence Supplies	If H4=0 Score=0; If H4=1, Score=1; If H4=2, Score=2; If H4=3, Score=0	
H4	Ability to manage incontinent supplies		
Solf-Ad	ministration of Medications	If OSf=1, Score = 0: Otherwise Score = 1:	
ON I	Self-administration of over the counter medications	1	
Madica	tion Preparation and Administration	If O8=0, Score=1; If O6=1, Score=2;	
	Did resident prepare and administer any of his/her	If O8=2, Score=1; If O8=3, Score=0;	
	Did resident prepare and administer any of his/her own medications		
,	an's Orders	If value P10>0, Score=1; Otherwise Score=0.	
P10	Number of days physician changed orders		
8	2 Topistof all shaded boxes in Step 1, column A. This is the Daily Living Assistance Score		

ADL So	core
Step 2: Calculate ADL score Activities of Daily Living (ADL)	If response = 0, Score 0; If response = 1, Score 1 If response = 2, Score 2; If response = 3, Score 3 If response = 4, Score 4; If response = 8, Score 4;
G1Aa Bad mobility, self-performance G1Ba Transfer, self-performance G1Ca Locomotion, self-performance G1Da Dressing, self-performance G1Da Dressing, self-performance G1Ea Eating, self-performance G1Ea Tollet Use, self-performance G1Ga Personal hyginare, self-performance	11 199,0139 = 5, 3009 4,
Total all ADL items to calculate ADL score	

	IADL / Bathin	ng Score
, 1		, III
Step	3: Instrumental Activities of Daily Living and E	sathing (IADL/B)
Bathi	ng	If G2 =0, Score=0; If G2 =1, Score=1 If G2 =2, Score=2; If G2 =3, Score=3 If G2 =4, Score=4; If G2 =8, Score=0;
G2	Bathing, self-performance	
Instru	imental Activities of Daily Living	If response = 0, Score=0; If response = 1, Score=1; If response = 2, Score=2; If response = 3, Score=3; If response = 4, Score=4; If response = 8, Score=0;
G5Aa		
G5Ab		
G5Ad		
G5Ae		
G5Af		
G5Ah		
GSAI	Laundry Total IADL	
-		
	Total IADL and Bathing (IADL/B)	

	Final RUG Score					
Maine	Caro Adult Famil	y Care Home RUG	group: Hea eco	roe from Living	Assistance	Score and
		ADL/B scores to o				
	RUG code					
_						
	71120-1	ALS Score	1818	LIABL C	187-1-1-1	
	RUG Code		ADL Score	IADL Score	Weight	Rate
	AV2	ALS 7-9	ADL 7-28		1.657	\$71.68
	AV1	ALS 7-9	ADL 0-6		1.210	\$52.34
	AH2	ALS 5-6	ADL 7-28		1.360	\$58.83
	AH1	ALS 5-6	ADL 0-6		1.027	\$44.43
	AM2	ALS 2-4		IADL 12-18	0.924	\$39.97
	AM1	ALS 2-4		IADL 10-11	0.804	\$34.78
	AL1	ALS 2-4		IADL 0-9	0.551	\$23.84
	BC1	Unclassified			0.551	\$23.84
	501	Officialsollied			0.001	\$20.04





